



# AGRITRANS

## UNIVERSAL TRACTOR TRANSMISSION OIL

### DESCRIPTION

Agritrans is a multi purpose oil suited to tractors requiring a common oil for transmissions, hydraulics, differentials, final drives, wet clutches and brakes. The anti squawk additive ensures effective operation of wet brakes.

Agritrans has been specifically developed to meet a wide range of specifications from most modern tractor and hydraulic pump OEM's.

Gulf Western's additive technology has been field tested in over 250 tractors and that combines to more than 200,000 hours of field tests.

### SUMMARY OF BENEFITS

- Superior gear wear protection
- Correct frictional characteristics ensure quiet wet brake operation
- Proven field performance
- Good anti-foam characteristics
- Excellent shear stability and thermal/oxidation stability provide long fluid life
- Good water tolerance ensures hydraulic performance is maintained
- Low copper activity
- Good filterability
- Excellent anti-squawk properties

### SPECIFICATIONS

#### HYDRAULIC PUMP PERFORMANCE

Sperry Vickers I-286-S (industrial)  
M-2950-S (mobile)  
Denison HF-0, HF-1, HF-2  
Sundstrand Hydraulics  
Cincinnati Milacron P-68, P-69, P-70

**GULF WESTERN PREMIUM QUALITY LUBRICATING OILS (AUST) PTY LTD**

**Head Office:** 92-96 Links Road, St Marys NSW 2760 - PO BOX 515 Kingswood, NSW 2747

**Phone:** 02 9673 9600 - **Fax:** 02 9623 6466 - **Email:** sales@gulfwestern.com.au - **Web:** www.gulfwestern.com.au

**ACN:** 087 558 398

# AGRITRANS

## UNIVERSAL TRACTOR TRANSMISSION OIL

### SPECIFICATIONS (CONTINUED)

JOHN DEERE

JDM J20c, J14A, J20D (factory fill). JDM J20A, B. JDM J14B, C.  
JDM J21A, JDT303, Quatrol®

NEW HOLLAND FORD  
(New Holland Group)

ESN-M2C134-D (FNHA-2-C-201.00), FNHA-2-C-200A  
FNHA-2-C-200.00\* (Super All Season Driveline & hydraulic fluid  
FNHA-2-C-201-F200-a) (\*Winter grade)  
M2C134-A, B, C, D M2C43, M2C41-B, M2C92-A, M2C48A, B  
M2C53A, B  
NB 410B  
35VQ25 and M-2952-S

MASSEY FERGUSON

M-1141 (EP trans fluid), M-1143  
M-1135 (trans / hydraulic - Europe)  
M-1145 (trans / hydraulic - Europe)  
M-1127 A and M-1127B  
M-1110  
M-1129A

CASE CORP (JI Case and International  
Harvester)

JIC-145, JIC-143, JIC-144, JIC-185  
MS-1210  
MS-1204  
MS-1205  
MS-1206  
MS-1207  
B5 and B6  
White Farm Q1826, Q-1705, Q-1766, Q-1802  
AGCO, Powerfluid 821XL  
Steiger SEMS 17001  
Versatile



**GULF WESTERN OIL**  
THE TOUGH AUSTRALIAN

# AGRITRANS

UNIVERSAL TRACTOR TRANSMISSION OIL

## SPECIFICATIONS (CONTINUED)

Deutz-Allis  
Fiat-Hesston  
NB 410B  
MAT 3540, 3525, 3509, 3505

KUBOTA UDT Hydraulic Fluid (UTTF)

WHITE FARM (Oliver) Q-1826 Hydraulic transmission fluid (HTF)  
Q-1766, Q1722, Q1766B, Q1705, Q1802, TYPE 55

AGCO / Duetz-Allis / Allis-Chalmers Power Fluid 821 XL, 272843, 257541, 246634

Landini Tractor II Hyd

Allison C2, C3, C4

Caterpillar TO-2

Sperry Vickers M-2950-S, I-286-S Ind

Clarke TA-12, TA-18, HR500, HR600

API GL-4

ZF  
TEML 03E / TEML 03F / TEML 05E / TEML 05F / TEML 06K  
MS-1204  
MS-1205  
MS-1206

**GULF WESTERN PREMIUM QUALITY LUBRICATING OILS (AUST) PTY LTD**

**Head Office:** 92-96 Links Road, St Marys NSW 2760 - PO BOX 515 Kingswood, NSW 2747

**Phone:** 02 9673 9600 - **Fax:** 02 9623 6466 - **Email:** sales@gulfwestern.com.au - **Web:** www.gulfwestern.com.au

**ACN:** 087 558 398

# AGRITRANS

## UNIVERSAL TRACTOR TRANSMISSION OIL

### SPECIFICATIONS (CONTINUED)

KONATSU DRESSER	B-06-0001 and B-06-0002
RENK DOROMAT	873, 874 A and 874 B (current)
VERSATILE	Specification 23M or 24M (Versatile)
HESSTON-FIAT (tractors only)	AF-87, Multi-F, Multi-G (current)
Volvo CE	WB-101

### STORAGE

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

### HEALTH, SAFETY AND ENVIRONMENT

Health, safety and environmental information is provided for this product in the relevant Materials Safety Data Sheet, which can be obtained by contacting Gulf Western Oil on: 02 9673 9600.

# AGRITRANS

## UNIVERSAL TRACTOR TRANSMISSION OIL

### RECOMMENDED FOR USE IN THE FOLLOWING OEM AGRICULTURAL EQUIPMENT (7)

Denison HF-0, HF-1 & HF-2 (current) (6)  
DEXRON and Type A, Suffix A (tractor)  
Eaton Hydraulics  
Ebru  
Fendt  
Ford ESN-M2C86-B and ESN-M2C86-C (5)  
Fort and Pegoraro (part of Argo S.p.A)  
Gleaner (part of AGCO)  
Hurlimann  
Ingersoll Rand  
IMT  
International Harvester  
International Hough (Dresser)  
JCB  
JI Case  
KH Duetz  
Kioto  
Komatsu and Komatsu / Dresser  
Kubota

Rockwell Transmissions  
Same Deutz-Fahr  
Sauer Sundstrand  
Schluter  
Steiger  
Steyr Daimler  
Sundstrand Hydraulics (Plessey)  
Taylor  
Universal  
Ursus  
Valmet  
Valpadana (part of Argo S.p.A)  
Valtractores  
Versatile  
Vickers Hydraulics  
Volvo  
Yanmar  
Zetor

# AGRITRANS

## UNIVERSAL TRACTOR TRANSMISSION OIL

### TYPICAL CHARACTERISTICS

AGRITRANS	Test Method	Units	Results
Density @ 15°C	ASTM D1298	kg/L	0.8892
Kinematic Viscosity			
@ 40°C	ASTM D445	cSt	70
@ 100°C	ASTM D445	cSt	8.9 (9.5 max)
Viscosity Index	ASTM D2270	-	110
Pour Point	ASTM D97	°C	-35
Flash Point (COC)	ASTM D92	°C	190

*Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute any legal liability.*

### AVAILABLE PACK SIZES

IBC - 30044B, 205lt - 30044, 60lt - 36044, 20lt - 32044